



□□□□

□□□ □□□

□□, 02 □□□ 2011 15:46 - □□□□ □□, 05 □□□ 2011 13:13

---

**2520**□□□□□□□□

□

- **4**□□□□□□□□□□ **WAN**
  
- **1**□ **AUI**□□□□□□□□□□ **10Mbps**□□□□
  
- **2**□ **10bt Ethernet**□□
  
- **1**□ **console**□□
  
- **1**□ **AUX**□□

□

**Cisco 2924 Layer 2 Switch**

□□



□□□□

□□□ □□□

□□, 02 □□□ 2011 15:46 - □□□□ □□, 05 □□□ 2011 13:13

---

□

- □ **24** □ **10/100 ports**
- □□□ **100BASE-FX**□□□□□□□□□□□□
- □□□□ **8192** □ **MAC**□□
- **1** □ **console**□□

□

## Cisco 2950 Layer 2 Switch

□□



□□



□□□□

□□□ □□□

□□, 02 □□□ 2011 15:46 - □□□□ □□, 05 □□□ 2011 13:13

---


- **□ 24□ 10/100 ports**
- **□□□ 100BASE-FX□□□□□□□□□□**
- **1□ console□□**

### Cisco□ 2600 Router \* 3

□□



□□









□□□□

□□□ □□□

□□, 02 □□□ 2011 15:46 - □□□□ □□, 05 □□□ 2011 13:13

---



**Cisco 1100 802.11b Wireless Access Point □□□□ :**  
□□□□□□□□

□□□ **IEEE 802.11b** □

**802.11b** □□□□ **11 Mbps** □□ **5.5 Mbps** □□ **2 Mbps** □□□□□ **1 Mbps**

**PC \* 20**

□

□□□□

□□□ □□□

□□, 02 □□□ 2011 15:46 - □□□□ □□, 05 □□□ 2011 13:13

---

